

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S10	244	(network near10 (connectivity or topology) and (find\$3 or explor\$3 or discover\$3) adj10 (router or nodes or devices) near10 (connected or known or routed) near10 (node or device or router)) and (@AD <"20010420" or PRAD <"20010420" or RLAD <"20010420")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/23 14:16
S13	601	(network near10 (connectivity or topology or link) and (search\$3 or find\$3 or explor\$3 or discover\$3) adj10 (router or nodes or devices) near10 (connected or known or routed or linked) near10 (node or device or router)) and (@AD <"20010420" or PRAD <"20010420" or RLAD <"20010420")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/23 14:19
S24	2031	network near5 (device or apparatus or connectivity or topology) near10 discover\$3 and (@AD <"20010420" or RLAD <"20010420")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/23 14:30
S25	693	network and jini and (@AD <"20010420" or RLAD <"20010420")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/23 14:30
S27	25	(S24 or S25) and (limit\$3 or restrict\$3) with (depth or number or maximum) near10 (hop or recursion)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/23 14:38
S28	2031	network near5 (device or apparatus or connectivity or topology) near10 discover\$3 and (@AD <"20010420" or RLAD <"20010420")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/24 09:36
S29	693	network and jini and (@AD <"20010420" or RLAD <"20010420")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/24 09:35
S30	25	(S28 or S29) and (limit\$3 or restrict\$3) with (depth or number or maximum) near10 (hop or recursion)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/24 09:36

S31	5	((network near10 (connectivity or topology) and (find\$3 or explor\$3 or discover\$3) adj10 (router or nodes or devices) near10 (connected or known or routed) near10 (node or device or router)) and (@AD <"20010420" or PRAD <"20010420" or RLAD <"20010420")) and jini	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/23 14:42
S32	1	((network near10 (connectivity or topology) and (find\$3 or explor\$3 or discover\$3) adj10 (router or nodes or devices) near10 (connected or known or routed) near10 (node or device or router)) and (@AD <"20010420" or PRAD <"20010420" or RLAD <"20010420")) and jini	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/24 08:31
S33	5	((network near10 (connectivity or topology) and (find\$3 or explor\$3 or discover\$3) adj10 (router or nodes or devices) near10 (connected or known or routed) near10 (node or device or router)) and (@AD <"20010420" or PRAD <"20010420" or RLAD <"20010420")) and jini	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/24 09:26
S34	4	((network near10 (connectivity or topology) and (find\$3 or explor\$3 or discover\$3) adj10 (router or nodes or devices) near10 (connected or known or routed) near10 (node or device or router)) and (@AD <"20010420" or @RLAD <"20010420")) and jini	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/24 09:27
S35	379	network and jini and (@AD <"20010420" or @RLAD <"20010420")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/24 10:34
S36	920	network near5 (device or apparatus or connectivity or topology) near10 discover\$3 and (@AD <"20010420" or @RLAD <"20010420")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/24 09:36
S37	6	(S35 or S36) and (limit\$3 or restrict\$3) with (depth or number or maximum) near10 (hop or recursion)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/24 10:34

S38	7449	network near3 view and (@AD <"20010420" or @RLAD <"20010420")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/24 10:43
S40	2393	(S35 or S36 or S38) and (limit\$3 or restrict\$3) near10 (depth or number or maximum or distance or length or radi\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/24 10:44
S42	19714	network adj3 management and (@AD <"20010420" or @RLAD <"20010420")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/24 10:43
S44	4915	(S35 or S36 or S42) and (limit\$3 or restrict\$3) near10 (depth or number or maximum or distance or length or radi\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/24 11:25
S45	60	S44 and (limit\$3 or restrict\$3) near10 (depth or number or maximum or distance or length or radi\$3) with trac\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/24 10:49
S47	88	S44 and (limit\$3 or restrict\$3) near10 (depth or number or maximum or distance or length or radi\$3) with (recursion or travers\$3 or trac\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/24 11:05
S48	1	(S35 or S36) and S47	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/24 11:04
S50	0	("370"/\$7 or "709"/\$3).ccls. and (@AD <"20010420" or @RLAD <"20010420") and (limit\$3 or restrict\$3) near10 (depth or number or maximum or distance or length or radi\$3) with (recursion or travers\$3 or trac\$4) with ("from" near10 (starting or initial or first) adj3 (device or node or router or switch))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/24 11:06

S52	21	(@AD <"20010420" or @RLAD <"20010420") and (limit\$3 or restrict\$3) near10 (depth or number or maximum or distance or length or radi\$3) with (recursion or travers\$3 or trac\$4) with (starting or initial or first or origin\$2 or source or destination or target) adj3 (device or node or router or switch)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/24 11:03
S53	1008	(@AD <"20010420" or @RLAD <"20010420") and (limit\$3 or restrict\$3) near10 (depth or number or maximum or distance or length or radi\$3) with (starting or initial or first or origin\$2 or source or destination or target) adj3 (device or node or router or switch)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/24 11:03
S54	0	S53 and (limit\$3 or restrict\$3) near10 (depth or number or maximum or distance or length or radi\$3) with "from" near10 (starting or initial or first or origin\$2 or source or destination or target) adj3 (device or node or router or switch)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/24 11:04
S55	2	(S35 or S36) and S53	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/24 11:04
S56	104	S44 and (limit\$3 or restrict\$3) near15 (depth or number or maximum or distance or length or radi\$3) near15 (recursion or travers\$3 or trac\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/24 11:05
S57	73	("370"/\$7 or "709"/\$3).ccls. and S56	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/24 11:07
S58	14	S57 and discover\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/24 11:44

S59	87	(S35 or S36 or S42) and (limit\$3 or restrict\$3) near10 (depth or number or maximum or distance or length or radi\$3 or range) with (discover\$3 or recursion or travers\$3 or subnet or partial adj3 (network or map or topology))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/24 11:27
S60	13	(S35 or S36 or S42) and (limit\$3 or restrict\$3) near10 (depth or number or maximum or distance or length or radi\$3 or range) with (discover\$3 or recursion or travers\$3 or trac\$3) near10 (subnet or partial adj3 (network or map or topology))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/24 11:38
S61	0	(S35 or S36 or S42) and (control\$4) near10 (depth or number or maximum or distance or length or radi\$3 or range) with (discover\$3 or recursion or travers\$3 or trac\$3) near10 (subnet or partial adj3 (network or map or topology))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/24 11:39
S62	13	(S35 or S36 or S42) and (determin\$3 or pre-determin\$3) near10 (depth or number or maximum or distance or length or radi\$3 or range) with (discover\$3 or recursion or travers\$3 or trac\$3) near10 (subnet or partial adj3 (network or map or topology))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/24 11:42
S63	40	(S35 or S36 or S42) and (determin\$3 or pre-determin\$3) near10 (depth or number or maximum or distance or length or radi\$3 or range) with (discover\$3 or recursion or travers\$3 or trac\$3) near10 (node or path or subnet or partial adj3 (network or map or topology))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/24 11:40
S64	33	(S35 or S36 or S42) and (limit\$3 or restrict\$3 or constrain\$3 or control\$4) near10 (depth or number or maximum or distance or length or radi\$3 or range) with (discover\$3 or recursion or travers\$3 or trac\$3) near10 (node or path or subnet or partial adj3 (network or map or topology))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/24 11:41

S65	33	(S35 or S36 or S42) and (limit\$3 or limitation or restrict\$3 or constrain\$3 or control\$4) near10 (depth or number or maximum or distance or length or radi\$3 or range) with (discover\$3 or recursion or travers\$3 or trac\$3) near10 (node or path or subnet or partial adj3 (network or map or topology))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/24 11:41
S66	71	S63 or S65	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/24 11:42
S68	53	S66 and discover\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/24 11:44
S69	19	S66 and discover\$3.ti.ab.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/24 11:45
S70	10	((("6,188,675") or ("6,791,948") or ("6,538,991") or ("6,047,330") or ("6,041,049")).PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/24 14:20